

HYDRASONIC I-UWM

Ultrasonic Water meter (flanged)

Revolutionizing Flow



Kimans Hydrasonic i-UWM is designed with multi path sensors ultrasonic technology to measure the water flow even in low flow rates. It is build on the principle of transit time for accurate flow measurement.

It is well suited for measuring chilled water, potable water, demineralized water.














Ultrasonic Water meter (flanged)


TECHNICAL DATA										
Nominal diameter DN	mm	DN50	DN65	DN80	DN100	DN125	DN150	DN200		
Length	mm	200	200	225	250	250	300	350		
Flow rate	Q1(m3/h)	0.1	0.16	0.252	0.400	0.6400	1.00	1.600		
	Q2(m3/h)	0.25	0.40	0.63	1.0	1.6	2.5	4.0		
	Q3(m3/h)	25	40	63	100	160	250	400		
	Q4(m3/h)	31.25	50	78.75	125	200	312.5	500		
Accuracy	Class 2									
Connection	Flange									
Pressure Loss	<= 25KPa									
Operational pressure	<=1.6MPa									
Turndown	Q3/Q1= 250									
Data Storage	18 months history data									
Power outage protection	After a power failure, the accumulated flow rate recorded before the power failure and the corresponding time can be saved, and the metering function will be automatically restored after the power is restored.									
Interface & Communication	Infrared, M-Bus, RS485 and LoRaWAN									
Power	Battery/ 24V DC									
Battery Life	>= 6 years									
Protection Class	IP68									
Operating Temperature	Temperature: -15°C to +55°C, relative humidity : < 90%									
Installation	Horizontal or Vertical									
Material of Construction	Cast Iron (CI), Stainless Steel (SS)									




DIMENSIONS

Nominal diameter DN	mm	DN50	DN65	DN80	DN100	DN125	DN150	DN200	DN250	DN300
Length	mm	200	200	225	250	250	300	350	450	500
Width	mm	175	182	200	200	250	280	340	319	370
Height	mm	292	333	348	368	380	410	480	592	592







HYDRASONIC I-UWM is a registered trademark of Kimans Metering. Due to continuous R&D, product improvements and enhancements, Kimans Metering reserves the right to change product or system specifications without notice, except to the extent an outstanding contractual obligation exists. © 2024 Kimans Metering. All rights reserved.

www.kimans.com